

HD Cream

O-in-W Skin Cream

Formulation 02093



Attributes

- Silky Smooth
- Wrinkle Masking
- Immediate Masking of Fine Lines
- Masks Fine Lines Up to @ Least 6 Hours
- Pore Masking

Components

Phase	Order	Ingredient	INCI Name	Wt%	Supplier	Trade Name
A		DOWSIL™ FZ-3196 Fluid	Caprylyl Methicone	20		
A		ACULYN™ 2051 Rheology Modifier	Sodium Polyacrylate (and) Dimethicone (and) Cyclopentasiloxane (and) Trideceth-6 (and) PEG/PPG-18/18 Dimethicone	3		
A		DOWSIL™ VM-2270 Aerogel Fine Particles	Silica Silylate	2		
A		XIAMETER™ PMX-200 Silicone Fluid 5 cSt	Dimethicone	5		
A		Macadamia Seed Oil	Macadamia Ternifolia Seed Oil	3		
A		Fragrance	Fragrance	0.1		
B		Water	Water	51.7		
B		Glycerin	Glycerin	5		
B		DOWSIL™ 9509 Silicone Elastomer Suspension	Dimethicone / Vinyl Dimethicone Crosspolymer (and) C12-14 Pareth-12	10		
B		DMDM Hydantoin	DMDM Hydantoin	0.2		

Procedure

Step	Process
1	Mix phase A ingredients together.
2	Mix phase B ingredients together.
3	Add phase A to phase B mixing until homogeneous.
4	Homogenize using a high shear mixer (Ultraturrax or Silverson type).

Stability

Stable for at least 3 months at room temperature and 40°C.

This suggested formulation is only a representative formulation and it is not a commercialized product. Dow believes that the information and data on which this formulation is based are reliable, but it has not been subjected to extensive testing for performance, efficacy or safety. BEFORE COMMERCIALIZATION, YOU SHOULD THOROUGHLY TEST THE FORMULATION OR ANY VARIATION OF IT TO DETERMINE ITS PERFORMANCE, EFFICACY AND SAFETY. IT IS YOUR RESPONSIBILITY TO OBTAIN ANY NECESSARY GOVERNMENT CLEARANCE, LICENSE OR REGISTRATION. In addition, Dow has not undertaken a comprehensive patent search on the formulation. Suggestions of uses should not be taken as inducements to infringe any particular patent. The information contained in this communication does not constitute an offer, does not give rise to binding obligations, and is subject to change without notice to you. The creation of binding obligations will occur only if an agreement is signed by authorized representatives of Dow and your company. Any reference to competitor materials contained in this communication is not an endorsement of those materials by Dow or an endorsement by the competitor of Dow materials. To the fullest extent permitted by applicable law, Dow disclaims any and all liability with respect to your use or reliance upon the information. DOW DOES NOT MAKE ANY WARRANTY OR REPRESENTATION, EXPRESS OR IMPLIED, WITH RESPECT TO THE UTILITY OR COMPLETENESS OF THE INFORMATION AND DISCLAIMS THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. DOW DISCLAIMS LIABILITY FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES.

©™ Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow. © 2018 The Dow Chemical Company. All rights reserved.