

Eni i-Sint tech P 5W-30



APPLICATIONS

Eni i-Sint tech P 5W-30 is a synthetic technology lubricant designed to meet the demands of petrol or diesel fueled engines of Peugeot and Citroën cars or commercial vehicles that operate according to the maintenance procedures prescribed by their respective Manufacturers.

CUSTOMER ADVANTAGES

- The special additivation of **Eni i-Sint tech P 5W-30** (Low SAPS) is designed and engineered to provide cars with Diesel engines the highest DPF protection in terms of efficiency and clogging prevention.
- The product performs a great preventive action against wear, ensuring maximum engine protection even under the heaviest operating conditions, while maintaining good performance throughout the entire engine life.
- The viscosimetric properties of its formulation allow a proper lubrication of the engine effectively reducing friction and contributing significantly to fuel savings while reducing carbon dioxide (CO₂) emissions.
- **Eni i-Sint tech P 5W-30** ensures, thanks to its fluidity characteristics, excellent cold starts and best lubrication of the engine mechanical components even at particularly low temperatures.

SPECIFICATIONS - APPROVALS

- ACEA C2
- API SN
- PSA B71 2290



Eni i-Sint tech P 5W-30



CHARACTERISTICS

Properties	Method	Unit	Typical
Density at 15°C	ASTM D 4052	kg/m ³	856
Viscosity at 100°C	ASTM D 445	mm ² /s	10.1
Viscosity at 40°C	ASTM D 445	mm ² /s	68
Viscosity Index	ASTM D 2270	-	165
Viscosity at -30°C	ASTM D 5293	mPa·s	6400
Flash point (COC)	ASTM D 92	°C	228
Pour point	ASTM D 97	°C	-36

