

according to Regulation (EC) No 1907/2006

Revision date: 09.04.2019

Bizol Coolant Asia

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Bizol Coolant Asia

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture 0102.B010916

1.3. Details of the supplier of the safety data sheet

| Company name: | BIZOL BITA Trading GmbH | |
|--------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|
| Street: | Martin-Buber-Str. 12 | |
| Place: | D-14163 Berlin | |
| Telephone: e-mail: Internet: | +49 (30) 804 869-0 support@bizol.de www.bizol.com | Telefax:+49 (30) 804 869-2860 |
| <u>1.4. Emergency telephone</u> number: | Germany: +49 (30) 804 869-0 (08.00-17.0 In England and Wales: NHS Direct: 0845 24 24 24 In Republic of Ireland: 01 809 21 | 4647 or 111 In Scotland: NHS 24 - 08454 |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Acute toxicity: Acute Tox. 4 Reproductive toxicity: Repr. 1B Specific target organ toxicity - single exposure: STOT SE 1 Specific target organ toxicity - repeated exposure: STOT RE 2 Hazard Statements: Harmful if swallowed. May damage fertility or the unborn child. Causes damage to organs. May cause damage to organs through prolonged or repeated exposure.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

ethanediol 2,2' -oxybisethanol

Signal word:

Pictograms:



Hazard statements

| H302 | Harmful if swallowed. |
|----------------|--------------------------------------------------------------------|
| H360 | May damage fertility or the unborn child. |
| H370 | Causes damage to organs. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| ecautionary st | atements |

Pre

P102 Keep out of reach of children.

Danger

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P264 Wash hands thoroughly after handling.



according to Regulation (EC) No 1907/2006

| Revision date: | Bizol Coolant Asia | |
|----------------|----------------------------------------------------------------------------|-----------|
| 09.04.2019 | | Page 2 of |
| P270 | Do not eat, drink or smoke when using this product. | |
| P281 | Use personal protective equipment as required. | |
| P301+P312 | IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. | |
| P304+P340 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. | |
| P314 | Get medical advice/attention if you feel unwell. | |
| P308+P313 | IF exposed or concerned: Get medical advice/attention. | |
| P501 | Dispose of waste according to applicable legislation. | |
| | | |

2.3. Other hazards

Results of PBT and vPvB assessment: not applicable.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Glycol-based mixture.

Hazardous components

| CAS No | Chemical name | Quantity | | |
|-----------|-----------------------------|----------------|------------------|----------------|
| | EC No | Index No | REACH No | |
| | GHS Classification | | • | |
| 107-21-1 | ethanediol | | | >= 70 % |
| | 203-473-3 | 603-027-00-1 | 01-2119456816-28 | |
| | Acute Tox. 4, STOT RE 2 | H302 H373 | ÷ | |
| | corrosion inhibitor (mixtur | e) | | <= 30 % |
| | | | | |
| | Repr. 1B, Acute Tox. 4, S | H370 H372 | | |
| 111-46-6 | 2,2' -oxybisethanol | -> inhibitor % | | |
| | 203-872-2 | 603-140-00-6 | 01-2119457857-21 | |
| | Acute Tox. 4, STOT RE 2 | | | |
| 1310-58-3 | potassium hydroxide | -> inhibitor % | | |
| | 215-181-3 | 019-002-00-8 | 01-2119487136-33 | |
| | Met. Corr. 1, Acute Tox. 4 | | | |
| 7664-38-2 | phosphoric acid | | | -> inhibitor % |
| | 231-633-2 | 015-011-00-6 | 01-2119485924-24 | |
| | Met. Corr. 1, Skin Corr. 1 | | | |

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice. If unconscious place in recovery position and seek medical advice. Remove contaminated, saturated clothing immediately.

After inhalation

Remove casualty to fresh air and keep warm and at rest.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Let water be drunken in little sips (dilution effect). Call a physician immediately. Do NOT induce vomiting.

f 9



according to Regulation (EC) No 1907/2006

Revision date: 09.04.2019

Bizol Coolant Asia

Page 3 of 9

4.2. Most important symptoms and effects, both acute and delayed

When in doubt or if symptoms are observed, get medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, Extinguishing powder, Carbon dioxide (CO2).

Unsuitable extinguishing media

Full water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products: Carbon monoxide Carbon dioxide (CO2). Do not inhale explosion and combustion gases.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Do not allow to enter into soil/subsoil.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Clean contaminated articles and floor according to the environmental legislation.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

See protective measures under point 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Do not eat, drink or smoke when using this product. Provide fresh air. Handle and open container with care. Conditions to avoid: generation/formation of aerosols.

Advice on protection against fire and explosion

No special measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Protect against: Frost. Keep away from heat. Protect against direct sunlight. Keep container tightly closed in a cool, well-ventilated place.

7.3. Specific end use(s)

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



according to Regulation (EC) No 1907/2006

Revision date: 09.04.2019

Bizol Coolant Asia

Page 4 of 9

Exposure limits (EH40)

| CAS No | Substance | ppm | mg/m³ | fibres/ml | Category | Origin |
|-----------|-------------------------|-----|-------|-----------|---------------|--------|
| 111-46-6 | 2,2'-Oxydiethanol | 23 | 101 | | TWA (8 h) | WEL |
| 107-21-1 | Ethane-1,2-diol, vapour | 20 | 52 | | TWA (8 h) | WEL |
| | | 40 | 104 | | STEL (15 min) | WEL |
| 7664-38-2 | Orthophosphoric acid | - | 1 | | TWA (8 h) | WEL |
| | | - | 2 | | STEL (15 min) | WEL |
| 1310-58-3 | Potassium hydroxide | - | 2 | | STEL (15 min) | WEL |

DNEL/DMEL values

| Substance | | | _ |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| - | Exposure route | Effect | Value |
| ethanediol | | | |
| long-term | inhalation | local | 35 mg/m³ |
| EL, long-term | inhalation | local | 7 mg/m³ |
| EL, long-term | dermal | systemic | 53 mg/kg bw/day |
| long-term | dermal | systemic | 106 mg/kg bw/day |
| 2,2' -oxybisethanol | | | |
| long-term | dermal | systemic | 106 mg/kg bw/day |
| EL, long-term | dermal | systemic | 53 mg/kg bw/day |
| long-term | inhalation | local | 60 mg/m³ |
| EL, long-term | inhalation | local | 12 mg/m³ |
| phosphoric acid | | | |
| long-term | inhalation | local | 2,92 mg/m³ |
| EL, long-term | inhalation | local | 0,73 mg/m³ |
| | ethanediol long-term EL, long-term long-term 2,2' -oxybisethanol long-term EL, long-term EL, long-term EL, long-term EL, long-term EL, long-term long-term Iong-term long-term long-term long-term long-term long-term long-term long-term | ethanediol Exposure route long-term inhalation EL, long-term inhalation EL, long-term dermal long-term inhalation EL, long-term dermal long-term inhalation EL, long-term inhalation long-term inhalation long-term inhalation | Exposure routeEffectethanediollong-terminhalationlocalEL, long-terminhalationlocalEL, long-termdermalsystemiclong-termdermalsystemiclong-termdermalsystemic2,2' -oxybisethanoldermalsystemiclong-termdermalsystemiclong-termdermalsystemiclong-termdermalsystemicL, long-termdermalsystemicL, long-terminhalationlocallong-terminhalationlocallong-terminhalationlocalphosphoric acidinhalationlocal |

PNEC values

| CAS No | Substance | |
|------------------------------|--------------------------------------|------------|
| Environmen | al compartment | Value |
| 107-21-1 | ethanediol | |
| Freshwater | | 10 mg/l |
| Soil | | 1,53 mg/kg |
| Freshwater | sediment | 20,9 mg/kg |
| Marine wate | r | 1 mg/l |
| Micro-organ | sms in sewage treatment plants (STP) | 199,5 mg/l |
| 111-46-6 | 2,2' -oxybisethanol | |
| Freshwater | | 10 mg/l |
| Marine wate | r | 1 mg/l |
| Freshwater sediment 20,9 mg/ | | |
| Soil | | 1,53 mg/kg |

8.2. Exposure controls

Appropriate engineering controls

See chapter 7. No additional measures necessary.

Protective and hygiene measures

When using do not eat, drink, smoke, sniff.

Eye/face protection

Eye glasses with side protection.



according to Regulation (EC) No 1907/2006

Revision date: 09.04.2019

Bizol Coolant Asia

Hand protection

Wear suitable gloves. Recommended glove articles: DIN EN 374. Suitable material: NBR (Nitrile rubber). Breakthrough time (maximum wearing time): > 480 min (Thickness of the glove material: 0.4 mm). Breakthrough times and swelling properties of the material must be taken into consideration. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Skin protection

Protective clothing.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. When splashes or fine mist form, a permitted breathing apparatus suitable for these purposes must be used. Suitable respiratory protection apparatus: Filtering Half-face mask (DIN EN 149), e.g. FFA P / FFP3.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| 9.1. Information on basic physical and ch | enfical properties | |
|-------------------------------------------|--------------------|---------------------------|
| Physical state: | Liquid | |
| Colour: | green | |
| Odour: | characteristic | |
| pH-Value: | | 7,5 - 10 |
| Changes in the physical state | | |
| Melting point: | | not determined |
| Initial boiling point and boiling range: | | 173 °C |
| Pour point: | | not determined |
| Flash point: | | 111 °C |
| Lower explosion limits: | | 3,2 vol. % |
| Upper explosion limits: | | 15,3 vol. % |
| Ignition temperature: | | not determined |
| Decomposition temperature: | | No information available. |
| Vapour pressure: | | not determined |
| Density (at 20 °C): | | 1,13 g/cm³ |
| Water solubility: | | completely miscible |
| Partition coefficient: | | not determined |
| Viscosity / dynamic: | | not determined |
| Viscosity / kinematic: (at 25 °C) | | 18 mm²/s |
| Flow time: | | not determined |
| Vapour density: | | not determined |
| Evaporation rate: | | not determined |
| 9.2. Other information | | |

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

No information available.



according to Regulation (EC) No 1907/2006

Revision date: 09.04.2019

Bizol Coolant Asia

Page 6 of 9

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Heat.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No information available.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Harmful if swallowed.

ATEmix calculated

ATE (oral) 1497,0 mg/kg

| CAS No | Chemical name | | | | | | | | |
|-----------|----------------------------|-------------------------------|-------|---------|-------------------------------------------|--------|--|--|--|
| | Exposure route | Dose | | Species | Source | Method | | | |
| 107-21-1 | ethanediol | | | | | | | | |
| | oral | LD50 mg/kg | 1600 | | Practical experience/human evidence | | | | |
| | dermal | LD50 mg/kg | 3500 | Mouse | | | | | |
| | corrosion inhibitor (mixtu | corrosion inhibitor (mixture) | | | | | | | |
| | oral | ATE mg/kg | 500 | | | | | | |
| 111-46-6 | 2,2' -oxybisethanol | | | | | | | | |
| | oral | ATE mg/kg | 500 | | | | | | |
| | dermal | LD50 mg/kg | 11890 | Rabbit | | | | | |
| 1310-58-3 | potassium hydroxide | | | | | | | | |
| | oral | LD50 mg/kg | 365 | Rat | | | | | |
| 7664-38-2 | phosphoric acid | _ | | | | | | | |
| | dermal | LD50 mg/kg | 2740 | Rabbit | | | | | |

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

May damage fertility or the unborn child. (corrosion inhibitor (mixture))

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Causes damage to organs. (corrosion inhibitor (mixture))

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (ethanediol)

Aspiration hazard

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

Revision date: 09.04.2019

Bizol Coolant Asia

Page 7 of 9

Practical experience

Other observations

Keeping to the general worker's protection rules and the industrial hygienics, there is no risk in handling this product through the personnel.

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the mixture itself.

| CAS No | Chemical name | Chemical name | | | | | | |
|----------|--------------------------|---------------------|-------|-----------|--------------------------------------------|--------|--------|--|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method | |
| 107-21-1 | ethanediol | | | | | | | |
| | Acute fish toxicity | LC50 mg/l | 72860 | | Pimephales promelas (fathead minnow) | | | |
| | Acute algae toxicity | ErC50 13000 mg/l | 6500- | | Selenastrum capricornutum | | | |
| | Acute crustacea toxicity | EC50 mg/l | > 100 | 48 h | Daphnia magna (Big water flea) | | | |
| | Fish toxicity | NOEC mg/l | 15380 | | Pimephales promelas (fathead minnow) | | | |
| | Crustacea toxicity | NOEC mg/l | 8590 | 7 d | Ceriodaphnia Dubia | | | |

12.2. Persistence and degradability

There are no data available on the mixture itself.

| CAS No | Chemical name | | | |
|----------|-----------------------------------------|--------|----|--------|
| | Method | Value | d | Source |
| | Evaluation | | | |
| 107-21-1 | ethanediol | | | |
| | Biodegradation | 90-100 | 10 | |
| | OECD 301A/ ISO 7827/ EEC 92/69/V, C.4-A | | | |

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|----------|---------------------|--------------|
| 107-21-1 | ethanediol | -1,36 |
| 111-46-6 | 2,2' -oxybisethanol | -1,98 (25°C) |

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to EC directives 75/442/EEC and 91/689/EEC in the corresponding versions, covering waste and dangerous waste.



according to Regulation (EC) No 1907/2006

| Revision date: | Bizol Coolant Asia |
|-------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 09.04.2019 | Page 8 |
| transport (including off-re | residues/unused products VISE SPECIFIED IN THE LIST; end-of-life vehicles from different means of bad machinery) and wastes from dismantling of end-of-life vehicles and vehicle , 14, 16 06 and 16 08); antifreeze fluids containing hazardous substances; |
| CLOTHING NOT OTHEI | ed packaging BSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE RWISE SPECIFIED; packaging (including separately collected municipal aging containing residues of or contaminated by hazardous substances; |
| Contaminated packaging | |
| | e recycled. Consult the appropriate local waste disposal expert about waste |
| SECTION 14: Transport information | |
| | |
| Land transport (ADR/RID) <u>14.1. UN number:</u> | No dangerous good in sense of this transport regulation. |
| 14.1. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |
| Marine transport (IMDG) | |
| <u>14.1. UN number:</u> | No dangerous good in sense of this transport regulation. |
| 14.1. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: Marine pollutant: | No dangerous good in sense of this transport regulation. NO |
| Air transport (ICAO-TI/IATA-DGR) | |
| <u>14.1. UN number:</u> | No dangerous good in sense of this transport regulation. |
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |
| 14.5. Environmental hazards | |
| ENVIRONMENTALLY HAZARDOUS: | no |
| 14.6. Special precautions for user No data available | |
| 14.7. Transport in bulk according to Anne No data available | x II of Marpol and the IBC Code |
| SECTION 15: Regulatory information | |
| 15.1. Safety, health and environmental rec | ulations/legislation specific for the substance or mixture |
| EU regulatory information | · · · · · · · · · · · · · · · · · · · |
| 2010/75/EU (VOC): | 0 % |
| National regulatory information | |
| Water contaminating class (D): | 1 - slightly water contaminating |
| | r - Signuy water containinating |
| 15.2. Chemical safety assessment Chemical safety assessments for sul | bstances in this mixture were not carried out. |
| | |

This data sheet contains changes from the previous version in section(s): 1,2,3,7,8,9,11,13,14,15.



according to Regulation (EC) No 1907/2006

Revision date: 09.04.2019

Bizol Coolant Asia

Page 9 of 9

Abbreviations and acronyms

ADR: Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Règlement concernant le transport international ferroviaire des marchandises dangereuses (Regulations concerning the International Carriage of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association ICAO: International Civil Aviation Organization CAS: Chemical Abstracts Service (a division of the American Chemical Society) DNEL/DMEL: Derived No-Effect Level / Derived Minimal Effect Level PNEC: Predicted No Effect Concentration WEL (UK): Workplace Exposure Limits TWA (EC): Time-Weighted Average STEL (EC): Short Term Exposure Limit ATE: Acute Toxicity Estimate LD50: Lethal Dose, 50% (median lethal dose) LC50: Lethal Concentration, 50% (median lethal concentration) EC50: half maximal Effective Concentration ErC50: EC50 in terms of reduction of growth rate AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen VwVwS: Verwaltungsvorschrift wassergefährdende Stoffe

Relevant H and EUH statements (number and full text)

| H290 | May be corrosive to metals. |
|------|--------------------------------------------------------------------|
| H302 | Harmful if swallowed. |
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage. |
| H360 | May damage fertility or the unborn child. |
| H370 | Causes damage to organs. |
| H372 | Causes damage to organs through prolonged or repeated exposure. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |

Further Information

Safety Data Sheet according to COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)