

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 4/1/2020 Supersedes version of: 2/1/2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Prista UHPD 5W-30

Product code : M025/02
Type of product : Engine oils
Synonyms : Engine oils
Product group : Blend

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

Main use category : Consumer use, Professional use

Industrial/Professional use spec : Distribution

Formulation & (re)packing of substances and mixtures

Used in closed systems

Engine oils

Function or use category : Lubricants and additives, Use in functional fluids

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Prista Oil Holding EAD 46 Treti Mart Blvd. 7002 Ruse - Bulgaria T + 359 82 82 69 40

information@prista-oil.bg - http://www.prista-oil.com/en

1.4. Emergency telephone number

Emergency number: 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

GHS07

Signal word (CLP) : Warning

Hazardous ingredients : Reaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs. para-,

calcium salts

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

Precautionary statements (CLP) : P102 - Keep out of reach of children.

P261 - Avoid breathing vapours.

P280 - Wear eye protection, protective gloves.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P333+P313 - If skin irritation or rash occurs: Get medical advice/atte

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse.

P501 - Dispose of contents and container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

UFI : S5TJ-4XM0-T20G-53KR

Child-resistant fastening : Not applicable

4/1/2020 EU - en 1/10

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Tactile warning : Not applicable

2.3. Other hazards

Other hazards not contributing to the classification

: None under normal conditions.

PBT: not relevant – no registration required vPvB: not relevant – no registration required

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments : CLP Calculation method

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	(CAS-No.) 72623-87-1 (EC-No.) 276-738-4 (REACH-no) 01-2119474889-13- 0000; 01-2119474889-13-0003	< 70	Asp. Tox. 1, H304
Distillates (petroleum), hydrotreated heavy paraffinic	(CAS-No.) 64742-54-7 (EC-No.) 265-157-1 (REACH-no) 01-2119484627-25- 0035; 01-2119484627-25-0025;01- 2119471299-27-0019	< 22	Not classified
Bis(nonylfenyl)amine	(CAS-No.) 36878-20-3 (EC-No.) 253-249-4 (REACH-no) 01-2119488911-28	0.5 – 2.2	Aquatic Chronic 4, H413
Reaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs. para-, calcium salts	(CAS-No.) - (EC-No.) 947-519-7 (REACH-no) 01-2120765489-36	0.2 – 1.1	Skin Sens. 1B, H317
Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate)	(CAS-No.) 2215-35-2 (EC-No.) 218-679-9 (REACH-no) 01-2119953275-34	0.1 – 1	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411
Alcohols, C12-16, ethoxylated	(CAS-No.) 68551-12-2 (EC-No.) 500-221-7	< 0.5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411
2,6-di-tert-butyl-p-cresol	(CAS-No.) 128-37-0 (EC-No.) 204-881-4 (REACH-no) 01-2119565113-46	< 0.1	Aquatic Chronic 1, H410
phenol,dodecyl-, branched	(CAS-No.) 121158-58-5 (EC-No.) 310-154-3 (REACH-no) 01-2119513207-49	< 0.1	Skin Corr. 1C, H314 Eye Dam. 1, H318 Repr. 1B, H360F Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)

Comments

: Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.

Full text of H statements : see section 16

Not available REACH number or substance is not currently required for registration under REACH

Full text of H-statements: see section 16

SECTION 4: First aid measures 4.1. Description of first aid measures

First-aid measures general

: Never give anything by mouth to an unconscious person.

First-aid measures after inhalation

: Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact

: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash

occurs: Get medical advice/attention.

First-aid measures after eye contact First-aid measures after ingestion : Rinse eyes with water as a precaution.: Call a poison center or a doctor if you feel unwell.

4/1/2020 EU - en 2/10

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after inhalation : May cause drowsiness or dizziness. May cause headache, nausea and irritation of

respiratory tract.

Symptoms/effects after skin contact : May cause an allergic skin reaction.

Symptoms/effects after eye contact : redness, itching, tears. May cause slight irritation.

Symptoms/effects after ingestion : Ingestion may cause nausea and vomiting. Risk of lung oedema.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : In case of fire and/or explosion do not breathe fumes.

Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of

burns and injuries.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Precautionary measures fire : Evacuate area. Eliminate all ignition sources if safe to do so.

Firefighting instructions : Do not fight fire when fire reaches explosives. In case of major fire and large quantities:

Evacuate area. Fight fire remotely due to the risk of explosion. Use water spray or fog for

cooling exposed containers.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

Other information : On exposure to high temperature, may decompose, releasing toxic gases.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Clean up any spills as soon as possible, using an absorbent material to collect it. Eliminate

every possible source of ignition. Do not handle until all safety precautions have been read and understood. Notify authorities if product enters sewers or public waters.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Ventilate area. Stop release. Cover spill with non combustible material, e.g.: sand/earth.

Prevent from entering sewers, basements and workpits, or any place where its

accumulation can be dangerous. Evacuate unnecessary personnel.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid

breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations. Use only non-sparking tools.

Storage conditions : Store in a well-ventilated place. Keep cool.

4/1/2020 EU - en 3/10

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Incompatible products : Oxidizing agent.
Incompatible materials : Sources of ignition.

7.3. Specific end use(s)

Product information.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)

EU - Occupational Exposure Limits

IOELV TWA (mg/m³)	5 mg/m³
IOELV STEL (mg/m³)	10 mg/m³

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

EU - Occupational Exposure Limits

IOELV TWA (mg/m³)	5 mg/m³
IOELV STEL (mg/m³)	10 mg/m³

2,6-di-tert-butyl-p-cresol (128-37-0)

EU - Occupational Exposure Limits

IOELV TWA (ma/m³)	10 ma/m ³ Chronic (lona	ı-term) health effects mav	result from repeated overexposure

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protective equipment:

Gloves. Protective clothing. Protective goggles.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):









Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : brown.

Odour : characteristic.

Odour threshold : No data available
pH : No data available
Relative evaporation rate (butylacetate=1) : No data available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Decomposition temperature : No data available
Flammability (solid, gas) : Not applicable
Vapour pressure : < 10 Pa
Relative vapour density at 20 °C : > 1

Relative density : No data available Density : 0.85 g/ml @20°C

Solubility : soluble in most organic solvents.

Partition coefficient n-octanol/water (Log Pow) : No data available
Viscosity, kinematic : 68.5 mm²/s @40°C
Viscosity, dynamic : No data available
Explosive properties : Not applicable.
Oxidising properties : Not applicable.
Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Oxidizing agent. Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)		
LD50 oral rat	> 5000 mg/kg bodyweight (OECD 401 method)	
LD50 dermal rabbit	> 2000 mg/kg bodyweight (OECD 402 method)	
LC50 inhalation rat (mg/l)	≈ 5.7 mg/l/4h (OECD 403 method)	

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	
LD50 oral rat	> 5000 mg/kg bodyweight (OECD 401 method)
LD50 dermal rabbit	> 2000 mg/kg bodyweight (OECD 402 method)
LC50 inhalation rat (mg/l)	> 5 mg/l/4h (OECD 403 method)

phenol,dodecyl-, branched (121158-58-5)	
LD50 oral rat	2100 mg/kg bodyweight (OECD 401 method)
LD50 dermal rat	15000 mg/kg bodyweight (OECD 402 method)

Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : This substance does not meet the criteria for classification as CMR category 1A or 1B

according to CLP

Carcinogenicity : This substance does not meet the criteria for classification as CMR category 1A or 1B

according to CLP

Reproductive toxicity : This substance does not meet the criteria for classification as CMR category 1A or 1B

according to CLP

STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)

STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

phenol,dodecyl-, branched (121158-58-5)	
NOAEL (oral, rat, 90 days)	15 mg/kg bodyweight/day (OECD 416 method)
NOAEL (subacute, oral, animal/male, 28 days)	60 mg/kg bodyweight (OECD 407 method)

Aspiration hazard : Not classified

Prista UHPD 5W-30

Viscosity, kinematic 68.5 mm²/s @40°C

Potential adverse human health effects and : Based on available data, the classification criteria are not met.

symptoms

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term

adverse effects in the environment.

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

(chronic)

: Not classified

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)		
LC50 fish 1	> 100 mg/l (OECD 203 method)	
EC50 Daphnia 1	> 10000 mg/l (OECD 202 method)	
EC50 72h algae (1)	> 1000 mg/l (OECD 201 method)	
NOEL, aquatic invertebrates, Chronic	< 1 mg/l (21 days, (OECD 211 method))	
NOEL, algae, Chronic	> 100 mg/l (72 Hours, (OECD 201 method))	
NOEL, microorganisms, Chronic	> 1.93 mg/l (10 minutes, DIN 38412)	
NOEL, daphnia, Chronic	> 10 mg/l (21 days)	

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
LC50 fish 1	> 100 mg/l (OECD 203 method)	
EC50 Daphnia 1	> 10000 mg/l (OECD 202 method)	
EC50 72h algae (1)	> 1000 mg/l (OECD 201 method)	
NOEL, aquatic invertebrates, Chronic	< 1 mg/l (21 days, (OECD 211 method))	
NOEL, algae, Chronic	> 100 mg/l (72 Hours, (OECD 201 method))	
NOEL, microorganisms, Chronic	> 1.93 mg/l (10 minutes, DIN 38412)	
NOEL, daphnia, Chronic	> 10 mg/l (21 days)	

Reaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs. para-, calcium salts (-)		
LC50 fish 1	100 – 1000 mg/l	
LC50 fish 2	> 10000 mg/l	
EC50 Daphnia 1	> 1000 mg/l	
EC50 96h algae (1)	> 1000 mg/l	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis	(phosphorodithioate) (2215-35-2)
LC50 fish 1	≥ 46 mg/l (OECD 203 method)
EC50 Daphnia 1	23 mg/l (OECD 202 method)
EC50 72h algae (1)	21 mg/l (OECD 201 method)

Alcohols, C12-16, ethoxylated (68551-12-2)	
LC50 fish 1	1 – 10 mg/l
EC50 Daphnia 1	0.1 – 1 mg/l
EC50 72h algae (1)	0.1 – 1 mg/l
NOEC chronic crustacea	0.1 – 1 mg/l 21 days

2,6-di-tert-butyl-p-cresol (128-37-0)	
LC50 fish 1	> 0.57 mg/l
EC50 Daphnia 1	0.48 mg/l
EC50 72h algae (1)	> 0.4 mg/l
NOEC (acute)	0.15 mg/l

phenol,dodecyl-, branched (121158-58-5)		
LC50 fish 1	40 mg/l (OECD 203 method)	
EC50 Daphnia 1	> 0.037 mg/l (OECD 202 method)	
EC50 other aquatic organisms 1	> 1000 mg/l	
EC50 72h algae (1)	0.36 mg/l (OECD 201 method)	
ErC50 (algae)	> 1000 mg/l (OECD 209 method)	
NOEC (acute)	1000 mg/l (OECD 209 method)	
40.0 B		

12.2. Persistence and degradability

Prista UHPD 5W-30

Not readily biodegradable, according to appropriate OECD test due to properties of several components. Persistence and degradability

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)	
Persistence and degradability	Not readily biodegradable, according to appropriate OECD test due to properties of several components.
Biodegradation	< 32 % (OECD 301B method)

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	
Persistence and degradability	Not readily biodegradable, according to appropriate OECD test due to properties of several components.
Biodegradation	< 32 % (OECD 301B method)

Reaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs. para-, calcium salts (-)	
Biodegradation	8 % (OECD 301D method)

Alcohols, C12-16, ethoxylated (68551-12-2)	
Biodegradation	60 % (28 d, OECD 301B method)

phenol,dodecyl-, branched (121158-58-5)	
Chemical oxygen demand (COD)	10 g O2/I

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Biodegradation < 25 % (OECD 301D method)

12.3. Bioaccumulative potential

Prista UHPD 5W-30

Bioaccumulative potential Bioaccumulative potential.

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)

Partition coefficient n-octanol/water (Log Kow) 3.5 – 6 Moderately bioaccumulative

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

Partition coefficient n-octanol/water (Log Kow) 3.5 – 6 Moderately bioaccumulative

Reaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs. para-, calcium salts (-)

Partition coefficient n-octanol/water (Log Kow) 10.88

2,6-di-tert-butyl-p-cresol (128-37-0)

BCF fish 1 2 – 17

phenol, dodecyl-, branched (121158-58-5)

Partition coefficient n-octanol/water (Log Kow) 7.14

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Prista UHPD 5W-30

PBT: not relevant – no registration required

vPvB: not relevant – no registration required

Component

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

PBT: not relevant – no registration required vPvB: not relevant – no registration required

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)

PBT: not relevant – no registration required vPvB: not relevant – no registration required

12.6. Other adverse effects

Additional information : No other effects known

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations : Disposal must be done according to official regulations.

Product/Packaging disposal recommendations : Avoid release to the environment.

European List of Waste (LoW) code : 13 02 06* - synthetic engine, gear and lubricating oils

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shipping name				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated Not regulated Not regulated Not regulated Not regulated				Not regulated
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

A chemical safety assessment has been carried out

For the following substances of this mixture a chemical safety assessment has been carried out

Distillates (petroleum), hydrotreated heavy paraffinic

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based

SECTION 16: Other information

Indication of changes:

First aid measures. Firefighting measures. Composition/information on ingredients. Classification of the substance or mixture. Toxicological information.

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
IARC	International Agency for Research on Cancer

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
РВТ	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
vPvB	Very Persistent and Very Bioaccumulative
Data sources :	REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Training advice	Normal use of this product shall imply use in accordance with the instructions on the packaging.
Other information	None.

Full text of H- and EUH-statements:	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 4	Hazardous to the aquatic environment — Chronic Hazard, Category 4
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Repr. 1B	Reproductive toxicity, Category 1B
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H360F	May damage fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

Prista SDS design

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.