

Lasting Youth Cream

Anti-Aging

Formulation 01853



Attributes

W-in-Si Emulsion

Contains Moisturizing Actives

Contains Anti-Aging Actives

Components

Phase	Order	Ingredient	INCI Name	Wt%	Supplier	Trade Name
A		DOWSIL™ 5300 Formulation Aid	Lauryl PEG-10 Tris(Trimethylsiloxy)silylethyl Dimethicone	2		
A		Caprylic/Capric Triglyceride	Caprylic/Capric Triglyceride	2		
A		Argania Spinosa Kernel Oil	Argania Spinosa Kernel Oil	1		
A		XIAMETER™ PMX-200 Silicone Fluid 5 cSt	Dimethicone	3		
A		Tocopheryl Acetate	Tocopheryl Acetate	0.5		
A		Raspberry Seed Oil	Tocopheryl Succinate Aminopropanediol Esters	0.3		
A		DOWSIL™ EL-7040 Hydro Elastomer Blend	Caprylyl Methicone (and) PEG-12 Dimethicone/ PPG-20 Crosspolymer	7		
B		DOWSIL™ 5300 Formulation Aid	Lauryl PEG-10 Tris(Trimethylsiloxy)silylethyl Dimethicone	0.5		
B		DOWSIL™ FZ-3196 Fluid	Caprylyl Methicone	8		
B		DOWSIL™ 9701 Cosmetic Powder	Dimethicone/Vinyl Dimethicone Crosspolymer (and) Silica	3		
C		EDTA	EDTA	0.1		
C		Sodium Chloride	Sodium Chloride	1		
C		Propylene Glycol	Propylene Glycol	3		
C		Niacinamide	Niacinamide	0.5		
C		Propanediol (and) Water (and) Vitis Vinifera Grape Juice Extract	Propanediol (and) Water (and) Vitis Vinifera Grape Juice Extract	0.2		
C		Cucumber Extract	Cucumis Sativus (Cucumber) Fruit Extract	1		
C		Sodium Hyaluronate	Sodium Hyaluronate	3		
C		Biosaccharide Gum-1	Biosaccharide Gum-1	1		
C		Water	Water	62.1		
D		Fragrance	Fragrance	0.15		

Phase	Order	Ingredient	INCI Name	Wt%	Supplier	Trade Name
D		Methylisothiazolinone (and) Phenoxyethanol	Methylisothiazolinone (and) Phenoxyethanol	0.5		

Procedure

Step	Process
1	Mix phase A ingredients until homogeneous.
2	Add phase B to phase A and mix together.
3	Mix phase C ingredients until homogeneous.
4	Slowly add phase C to phase A using high speed mixing.
5	Mix until homogeneous.
6	Add phase D ingredients one at a time in order while mixing.
7	Mix phase B ingredients until homogeneous.
8	Mix until homogeneous.

Stability

Formulation stable for at least 1 month at RT and 45°C.

This suggested formulation is only a representative formulation and it is not a commercialized product. Dow believes that the information and data on which this formulation is based are reliable, but it has not been subjected to extensive testing for performance, efficacy or safety. BEFORE COMMERCIALIZATION, YOU SHOULD THOROUGHLY TEST THE FORMULATION OR ANY VARIATION OF IT TO DETERMINE ITS PERFORMANCE, EFFICACY AND SAFETY. IT IS YOUR RESPONSIBILITY TO OBTAIN ANY NECESSARY GOVERNMENT CLEARANCE, LICENSE OR REGISTRATION. In addition, Dow has not undertaken a comprehensive patent search on the formulation. Suggestions of uses should not be taken as inducements to infringe any particular patent. The information contained in this communication does not constitute an offer, does not give rise to binding obligations, and is subject to change without notice to you. The creation of binding obligations will occur only if an agreement is signed by authorized representatives of Dow and your company. Any reference to competitor materials contained in this communication is not an endorsement of those materials by Dow or an endorsement by the competitor of Dow materials. To the fullest extent permitted by applicable law, Dow disclaims any and all liability with respect to your use or reliance upon the information. DOW DOES NOT MAKE ANY WARRANTY OR REPRESENTATION, EXPRESS OR IMPLIED, WITH RESPECT TO THE UTILITY OR COMPLETENESS OF THE INFORMATION AND DISCLAIMS THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. DOW DISCLAIMS LIABILITY FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES.

®™ Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow. © 2018 The Dow Chemical Company. All rights reserved.