

Chocolate Mousse

Color Cosmetic

Formulation 00650



Attributes

Silky Feel

Chocolate "Mousse-Like" Texture

Components

Phase	Order	Ingredient	INCI Name	Wt%	Supplier	Trade Name
A		C.I. 77891 (and) Dimethicone	C.I. 77891 (and) Dimethicone	0.528		
A		C.I. 77492 (and) Dimethicone	C.I. 77492 (and) Dimethicone	0.732		
A		C.I. 77499 (and) Dimethicone	C.I. 77499 (and) Dimethicone	0.284		
A		C.I. 77491 (and) Dimethicone	C.I. 77491 (and) Dimethicone	0.456		
B		DOWSIL™ 9701 Cosmetic Powder	Dimethicone/Vinyl Dimethicone Crosspolymer (and) Silica	23		
B		Dimethicone Treated Zinc Oxide	Zinc Oxide (and) Dimethicone	6		
C		Distilled Water	Persea Gratissima (Avocado) Oil	4		
C		Water (and) Propylene Glycol (and) Helianthus Annuus (Sunflower) Seed Oil (and) Theobroma Cacao (Cocoa) Extract (and) Sclerotium Gum	Water (and) Propylene Glycol (and) Helianthus Annuus (Sunflower) Seed Oil (and) Theobroma Cacao (Cocoa) Extract (and) Sclerotium Gum	1		
C		XIAMETER™ PMX-0245 Cyclopentasiloxane	Cyclopentasiloxane	22.75		
C		XIAMETER™ PMX-1501 Fluid	Cyclopentasiloxane (and) Dimethiconol	5		
C		DOWSIL™ 9546 Silicone Elastomer Blend	Cyclopentasiloxane (and) Dimethicone Crosspolymer (and) Dimethicone/Vinyl Dimethicone Crosspolymer (and) Dimethiconol	5		
C		Theobroma Cacao (Cocoa) Seed Butter	Theobroma Cacao (Cocoa) Seed Butter	1		
C		Coconut Oil (and) Gardenia Flower Extract	Cocos Nucifera (Coconut) Oil (and) Gardenia Tahitensis Flower Extract	1		
C		Tocopheryl Acetate	Tocopheryl Acetate	0.5		
C		Polysilicone-15	Polysilicone-15	5		
C		XIAMETER™ PMX-200 Silicone Fluid 5 cSt	Dimethicone	22.75		
D		Fragrance	Fragrance	1		

Procedure

Step	Process
1	Pre grind together the pigments.
2	To the main mixing vessel, add the ingredients of phase C and heat with mixing to 45°C, or until the cocoa butter is melted and the ingredients are uniform.
3	Add the combined phases A and B to the mixer in increments. Good scraping and high-speed dispersing action is recommended.
4	Combine phase A and phase B in a covered vessel and mix with high speed dispersing action until all the powders are uniform. For larger quantities, use nitrogen gas to make the head space of the mixer inert as a safety precaution.
5	Add fragrance.

Stability

Stability data for this formulation has not been established.

This suggested formulation is only a representative formulation and it is not a commercialized product. Dow believes that the information and data on which this formulation is based are reliable, but it has not been subjected to extensive testing for performance, efficacy or safety. BEFORE COMMERCIALIZATION, YOU SHOULD THOROUGHLY TEST THE FORMULATION OR ANY VARIATION OF IT TO DETERMINE ITS PERFORMANCE, EFFICACY AND SAFETY. IT IS YOUR RESPONSIBILITY TO OBTAIN ANY NECESSARY GOVERNMENT CLEARANCE, LICENSE OR REGISTRATION. In addition, Dow has not undertaken a comprehensive patent search on the formulation. Suggestions of uses should not be taken as inducements to infringe any particular patent. The information contained in this communication does not constitute an offer, does not give rise to binding obligations, and is subject to change without notice to you. The creation of binding obligations will occur only if an agreement is signed by authorized representatives of Dow and your company. Any reference to competitor materials contained in this communication is not an endorsement of those materials by Dow or an endorsement by the competitor of Dow materials. To the fullest extent permitted by applicable law, Dow disclaims any and all liability with respect to your use or reliance upon the information. DOW DOES NOT MAKE ANY WARRANTY OR REPRESENTATION, EXPRESS OR IMPLIED, WITH RESPECT TO THE UTILITY OR COMPLETENESS OF THE INFORMATION AND DISCLAIMS THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. DOW DISCLAIMS LIABILITY FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES.

®™ Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow. © 2018 The Dow Chemical Company. All rights reserved.